



3. (Currently Amended) ~~Process~~ The process according to claim 1 characterized in that ~~wherein~~ R<sub>1</sub> is methyl and R<sub>2</sub> is H.
4. (Currently Amended) ~~Process~~ The process according to ~~any of claims 1 to 3~~ characterized in that claim 1, wherein the molar ratio of the isophthalic acid dichloride IPC to the amine (II) is from 1 to 1.8 - 2.0.
5. (Currently Amended) ~~Process~~ The process according to ~~any of claims 1 to 4~~ characterized in that claim 1, wherein the at least one solvent is xylene, ethanol or isopropanol or a mixture of 60 - 80 % isopropanol and 20 - 40 % water by volume.
6. (Currently Amended) ~~Process~~ The process according to ~~any of claims 1 to 5~~ characterized in that in the first step the reaction mixture is stirred for claim 1, wherein the adding step further comprises stirring the mixture for 50 to 70 minutes at while maintaining the same temperature.
7. (Currently Amended) ~~Process~~ The process according to ~~claims 1 to 6~~ characterized in that claim 1, wherein a phase separation takes place occurs after the heating step to form an organic phase and that wherein the process further comprises adding water to the organic phase, after addition of water, is heated and heating the water and organic phase to a temperature of 130 - 140 °C and to at a pressure of 3.0 - 4.0 bars.
8. (Currently Amended) ~~Process~~ The process according to ~~claims 1 to 7~~ characterized in that after claim 1, comprising the step of cooling the reaction mixture to ambient temperature and isolating the compound of formula (I) is isolated.
9. (New) A stabilizer made in accordance with the process of claim 1.

10. (New) A polymer comprising a stabilizer of claim 10.
11. (New) The polymer according to claim 10, wherein the polymer is polyamide.